



BioArt Bowl Cylinder Drop

User manual

EN

Drop 285	Drop 345	Bowl 225	Cylinder 285
285 x 200 mm (5,1L)	345 x 250 mm (10L)	225 x 220 mm (5,1L)	285 x 150 mm (4L)
5V-5W	5V-7,5W	5V-5W	5V-5W

Setting up your BioArt

Clean the BioArt thoroughly with clean tap water and rinse the BioArt completely clean. Never use cleaning products or alcohol and always use a clean microfibre cloth.

1



Rinse the wood, gravel, stones or Deco well with tap water before use. Never rinse Volcanic soil!

2



Fill the BioArt with Volcanic soil or gravel (layer thickness approx. 5 cm). We recommend BioArt Volcanic soil.


3



Place your "Hard Scape" if desired, this can consist of stones, wood or deco's.

Tip! Use the BioArt Tool kit for easy maintenance.


4



Place your plants in the BioArt using tweezers.

Tip! Use the BioArt Scaping set

5



Add water until it is 1 cm below the substrate, depending on the type of plant. The amount of spraying, lighting, and ventilation all depend on the type of plant.

6



Dry the glass with the BioArt Tool kit to avoid scale deposit. Fit the lid with the LED lamp.

7



Adjust the grid in the lid to set the humidity depending on the plants used.


8



Controller

- A Dimmer**
The LED can be dimmed in 10 steps
- B** Switch between LED's
- C Timer**
- D On/Off**
- E** The LED fan starts automatically at higher brightness levels.

9



Timer Settings

The timer turns the lighting on and off daily at the same time according to the selected duration:

- Press once: 3 hours on.
- Press twice: 9 hours on.
- Press three times: 12 hours on.

The set period starts immediately and repeats automatically every day.

Example: Set time at 6:00 PM with 3 hours (press once). The lighting turns on at 6:00 PM, off at 9:00 PM, and repeats the next day.

Safety & Warranty

[View the Safety & Warranty »](#)