




Reef LED 55-74 – 72-91 – 93-112 – 112-131

User manual

EN


Function

Reef LED are LED lighting designed for open and closed aquariums with a glass thickness up to 10 mm. Can be operated with the LED Controller (dimming + switching on/off) or a timer.

Installation on an open aquarium

- A** Slide both supports to the correct width. Place the light above the aquarium with the brackets on the top of the glass.

Connect the electrical cord to the lighting adapter and put the plug in the socket.




Installation in a closed aquarium

- B** Remove the two extendable supports from the LED lighting. Mount the two clips on either side under the lighting.

Place the lighting on the stabilisation strips of the aquarium and push the clips against the stabilisation strips to prevent the lighting from sliding.

Connect the electrical cord to the lighting adapter and put the plug in the socket.



Maintenance

Clean the lighting regularly with a damp cloth. This extends the longevity and improves the light output.

The light source of this luminaire is not replaceable, when the light source reaches its end of life the whole luminaire should be replaced.

Technical specifications

Model	55-74 cm	72-91 cm	93-112 cm	112-131 cm
Min. aquarium size	55 cm	72 cm	93 cm	112 cm
Max. aquarium size	74 cm	91 cm	112 cm	131 cm
Length	54.5 cm	71 cm	92.5 cm	111.5 cm
Number of LEDs	72	96	132	154
Wattage	44 watt	56 watt	75 watt	86 watt
Voltage	20 volt	20 volt	36 volt	36 volt

Safety & Warranty

[View the Safety & Warranty »](#)